



IMMER SIVE. EXPERIENCE

Transform your screen into a
masterpiece of light and shadow.

www.cineversum.com



For more info visit www.cineversum.com

Immersive Visuals and Color Accuracy

Equipped with a high-quality 8K-optimized lens and wide color gamut support (DCI-P3 and BT.2020), it ensures vivid, accurate colors, ideal for home theaters or studios needing precise color grading.




Enhanced HDR for Stunning Visuals

Both projector provide Frame Adapt HDR technology, which adjust brightness and contrast for optimal image quality. This results in vibrant colors, improved depth, and more accurate details, making them perfect for movies, gaming, and sports


Long-lasting BLUEScent Laser Diode

The projector's laser diode lasts up to 20,000 hours, providing consistent performance over years of use without sacrificing brightness or quality.



Customizable Lens for Precise Calibration

Both projector features a high-precision lens for easy focus, alignment, and lens shift adjustments, ensuring optimal image quality across different screen sizes and room setups, perfect for both home theater and professional environments.



Blackwing Elite +L

Model No: R9202403+



BLU-Escent Laser 3,300-lumen
150,000:1 Native Contrast

Blackwing 2+L

Model No: R9202402+




BLU-Escent Laser 2,700-lumen
100,000:1 Native Contrast



Compact, Stylish, and Low Maintenance

Known as one of the smallest native 4K projectors, it fits seamlessly into any home setup. Its BLU-Escent laser light source ensures up to 20,000 hours of operation, reducing maintenance needs and enhancing convenience




Optimized Airflow Design

The optimized cooling system ensures quieter operation, while the redesigned rear exhaust eliminates heat impact on the screen. This innovative layout enhances flexibility for projector placement, making it suitable for various installation setups



Deeper Blacks and Vivid Visuals

The Deep Black Tone Control in Frame Adapt HDR enhances gradation and darkness for more realistic contrast. Paired with vibrant gaming and animation modes, it delivers lifelike visuals, especially in dark scenes like nightscapes.



Conventional

New Deep Black Tone

Advanced Motion Handling for Smooth Playback

Featuring Clear Motion Drive and Motion Enhance technologies, this projector minimizes motion blur and enhances image stability. Whether it's fast-paced sports or action-packed movies, it ensures smooth, fluid visuals that keep every detail sharp and enjoyable for viewers.



Blackwing Light+

Model No: R9202401+

BLU-Escent Laser 2,300-lumen
80,000:1 Native Contrast



Blackwing Light

Model No: R9202400+

BLU-Escent Laser 2,000-lumen
40,000:1 Native Contrast



Specifications

For more info visit www.cineversum.com

GENERAL		Blackwing Elite+L	Blackwing 2+L	Blackwing Light+	Blackwing Light
Device		0.69-inch Native 4K D-ILA Device (4,096 x 2,160) x3			
Display Resolution		8,192 x 4,320 (Gen2 8K/e-shiftX)		4,096 x 2,160 (Native)	
Lens	Type	x2 motorized zoom & focus, all-glass lens			
	Diameter	100 mm	65 mm	80 mm	
Lens Shift (motorized in 16:9 aspect ratio)	Vertical	±100%	±80%	±70%	
	Horizontal	±43%	±34%	±28%	
Projection Display Size (diagonal)		60 inch – 300 inch	60 inch – 200 inch		
Light Source		BLU-Escent Laser diode			
Brightness		3,300 lm	2,700 lm	2,300 lm	2,000 lm
Contrast Ratio	Dynamic	∞:1			
	Native	150,000:1	100,000:1	80,000:1	40,000:1
Cinema Filter (Color Gamut)		DCI 98%/BT.2020 73%			sRGB 100%
Input Terminal	HDMI	2 (48 Gbps/HDCP 2.3, no CEC support)		2 (32 Gbps/HDCP 2.3, no CEC support)	
Output Terminal	TRIGGER	1 (Mini Jack, DC 12 V/100 mA)		—	
	3D SYNCHRO	1 (Mini Din 3-pin)		—	
Control Terminal	RS 232C	1 (D-sub 9pin)		—	
	LAN	1 (RJ45)			
Service Terminal	SERVICE	1 (USB Type A) for firmware update and backing up settings			
Power Consumption	Projector in Use	440 W		280W	
	Eco-mode Standby	0.3 W			
	Standby	1.5 W			
Fan Noise		24 dB (LD power at minimum)		23 dB (LD power at minimum)	
Power Requirement		AC 100-240V, 50/60Hz			
Dimensions (W x H x D, including feet)		19-11/16 in x 9-7/32 in x 20-13/16 in / 500 mm x 260 mm x 528 mm	19-11/16 in x 9-7/32 in x 19-29/32 in / 500 mm x 260 mm x 505 mm	17-23/32 in x 7-5/32 in x 18-7/8 in / 450 mm x 181 mm x 479 mm	
Weight (net)		55.7 lb. / 25.3 kg	50.9 lb. / 23.1 kg	32.6 lb. / 14.8 kg	32.2 lb. / 14.6 kg

FEATURES		Blackwing Elite+L	Blackwing 2+L	Blackwing Light+	Blackwing Light
Max Input		80K60p and 4K120p		4K60p	
Light Source Control by Slider Adjustment		101 steps			
Ultra-High Contrast Optics		•			
HDR	HDR10+	•			
	HLG	•			
	Mastering Info Display	• (Max CLL/Max FALL/DML)			
	Frame Adapt HDR Gen2	•			
	Deep Black Tone Control	•			
	Theater Optimizer	•	—		—
“Vivid” Mode for SDR		•			
FILMMAKER MODE™		•			
3D Support		•	—		—
Clear Motion Drive		•	• (black frame insertion at 60Hz input only)		
Motion Enhance		•	—		
Low Latency Mode		•	—		
Auto Calibration		•			
Installation Mode		• (max. 10 memories)		• (max. 5 memories)	
ISFccc Certification		•			
Screen Adjustment Mode		•			
USB Back-up		•			

Note: Values are typical. Depends on the projector setting conditions and usage environment.

